

SKOLNIK INDUSTRIES, INC.
UN DRUM TESTING STATUS
FQ 105

KEY:
TIGHTHEADS
OPEN HEAD BOLT RING
OPEN HEAD LEVER LOCK

PRODUCT	DRUM ID	DRUM TYPE	THICKNESS			UN TESTING			REPORT #
			COVER (mm)	BODY (mm)	BOTTOM (mm)	TEST EXPIRATION DATE mm/dd/yy	SOLIDS RATING	LIQUIDS RATING	
CQ0301	14.00	OH	0.9	0.9	0.9	08/12/10	1A2 / X40 / S	1A2 / Y1.8 / 150	171
CQ0501	14.00	OH	0.9	0.9	0.9	11/25/10	1A2 / X60 / S	1A2 / Y1.8 / 150	059
CQ0502Q	14.00	OH	1.2	0.9	0.9	11/20/10	1A2 / X60 / S	1A2 / Y1.5 / 150	133
CQ0503	14.00	TH	0.9	0.9	0.9	06/19/10	LIQUIDS ONLY	1A1 / X1.6 / 250	026
CQ0802	14.00	OH	0.9	0.9	0.9	08/28/10	1A2 / X96 / S	1A2 / Y1.8 / 150	048
CQ0802Q	14.00	OH	1.2	0.9	0.9	09/24/10	1A2 / X96 / S	1A2 / Y1.5 / 150	134
CQ0803	14.00	TH	0.9	0.9	0.9	09/24/10	LIQUIDS ONLY	1A1 / X1.4 / 250	045
CQ1000Q	14.00	OH	0.8	0.8	0.8	07/16/10	1A2 / X80 / S	SOLIDS ONLY	135
CQ1002	14.00	OH	0.9	0.9	0.9	08/28/10	1A2 / X120 / S	1A2 / Y1.8 / 150	048
CQ1002Q	14.00	OH	1.2	0.9	0.9	09/24/10	1A2 / X120 / S	1A2 / Y1.5 / 150	134
CQ1003	14.00	TH	0.9	0.9	0.9	09/24/10	LIQUIDS ONLY	1A1 / X1.4 / 250	045
CQ1012	14.00	TH	1.2	0.9	1.2	07/01/10	LIQUIDS ONLY	1A1 / X1.4 / 300	954
CQ1502	14.00	OH	0.9	0.9	0.9	04/23/11	1A2 / X193 / S	1A2 / Y1.5 / 150	030
CQ1503	14.00	TH	0.9	0.9	0.9	02/12/11	LIQUIDS ONLY	1A1 / X1.4 / 250	047
CQ1602	14.00	OH	0.9	0.9	0.9	04/23/11	1A2 / X200 / S	1A2 / Y1.5 / 150	030
CQ1602Q	14.00	OH	1.2	0.9	0.9	04/29/11	1A2 / Y200 / S	1A2 / Y1.5 / 150	138
CQ1603	14.00	TH	0.9	0.9	0.9	02/12/11	LIQUIDS ONLY	1A1 / X1.4 / 250	047
CQ2001	18.25	OH	1.5	1.5	1.5	11/20/10	1A2 / X195 / S	1A2 / Y1.5 / 200	031
CQ2003	18.25	OH	0.9	0.9	0.9	03/25/11	1A2 / X175 / S	1A2 / Y1.2 / 100	170
CQ2006	18.25	OH	1.2	1.2	1.2	04/21/11	1A2 / X220 / S	1A2 / Y1.5 / 150	034
CQ2006Q	18.25	OH	1.2	1.2	1.2	03/18/11	1A2 / X220 / S	1A2 / Y1.5 / 150	067
CQ2013	18.25	TH	1.5	0.9	1.5	03/26/11	LIQUIDS ONLY	1A1 / X1.2 / 300	035
CQ3002	18.25	OH	0.9	0.9	0.9	06/05/10	1A2 / X200 / S	1A2 / Y1.2 / 100	142
CQ3003	18.25	OH	1.2	0.9	1.2	04/16/11	1A2 / X235 / S	1A2 / Y1.8 / 150	028
CQ3004	18.25	OH	0.9	1.2	0.9	05/22/10	1A2 / X235 / S	1A2 / Y1.5 / 150	063
CQ3005	18.25	OH	1.2	1.2	1.2	05/05/10	1A2 / X235 / S	1A2 / Y1.5 / 150	010
CQ3005Q	18.25	OH	1.2	1.2	1.2	06/05/10	1A2 / X235 / S	1A2 / Y1.5 / 150	039
CQ3007	18.25	OH	1.5	1.2	1.2	04/16/11	1A2 / X235 / S	1A2 / Y1.5 / 150	005
CQ3007Q	18.25	OH	1.5	1.2	1.2	04/16/11	1A2 / X235 / S	1A2 / Y1.5 / 150	165*
CQ3008	18.25	TH	0.9	0.9	0.9	04/09/11	LIQUIDS ONLY	1A1 / Y1.5 / 300	013

SKOLNIK INDUSTRIES, INC.
UN DRUM TESTING STATUS
FQ 105

KEY:
TIGHTHEADS
OPEN HEAD BOLT RING
OPEN HEAD LEVER LOCK

PRODUCT	DRUM ID	DRUM TYPE	THICKNESS			UN TESTING			
			COVER (mm)	BODY (mm)	BOTTOM (mm)	TEST EXPIRATION DATE mm/dd/yy	SOLIDS RATING	LIQUIDS RATING	REPORT #
CQ3009	18.25	TH	1.2	0.9	1.2	01/15/11	LIQUIDS ONLY	1A1 / Y1.5 / 300	019
CQ3010	18.25	TH	1.2	1.2	1.2	03/10/11	LIQUIDS ONLY	1A1 / Y1.6 / 300	074
CQ3013	18.25	TH	1.5	0.9	1.5	03/17/11	LIQUIDS ONLY	1A1 / X1.2 / 300	015
CQ3014	18.25	OH	1.5	1.5	1.5	02/05/11	1A2 / X235 / S	1A2 / Y1.5 / 200	007
CQ3014Q	18.25	OH	1.5	1.5	1.5	02/12/11	1A2 / X235 / S	1A2 / Y1.5 / 150	061
CQ3021	18.25	OH	1.5	1.2	1.2	04/16/11	1A2 / X400 / S	1A2 / Y1.5 / 150	946
CQ4500	22.50	OH	1.2	1.2	1.2	10/29/10	1A2 / X350 / S	SOLIDS ONLY	119
CQ5501	22.50	OH	1.5	1.5	1.5	12/16/10	1A2 / X430 / S	1A2 / X1.4 / 200	077
CQ5504	22.50	OH	1.2	0.9	0.9	11/03/10	1A2 / Y425 / S	1A2 / Y1.2 / 100	014
CQ5504Q	22.50	OH	1.2	0.9	0.9	04/30/11	1A2 / Y425 / S	1A2 / Y1.2 / 100	068
CQ5506	22.50	OH	1.2	1.2	1.2	10/29/10	1A2 / X435 / S	1A2 / Y1.5 / 150	119
CQ5506Q	22.50	OH	1.2	1.2	1.2	10/30/10	1A2 / X435 / S	1A2 / Y1.4 / 150	117
CQ5507	22.50	OH	1.5	1.2	1.2	10/30/10	1A2 / X400 / S	1A2 / Y1.5 / 150	040
CQ5507Q	22.50	OH	1.5	1.2	1.2	11/03/10	1A2 / X400 / S	1A2 / Y1.5 / 150	141
CQ5508	22.50	OH	1.5	1.5	1.5	11/06/10	1A2 / X430 / S	1A2 / Y1.5 / 175	011
CQ5508Q	22.50	OH	1.5	1.5	1.5	11/06/10	1A2 / X430 / S	1A2 / Y1.4 / 175	164*
CQ5509	22.50	OH	1.2	0.9	0.9	02/23/11	1A2 / Y425 / S	1A2 / Y1.2 / 100	921
CQ5511	22.50	6HA1	1.2	1.2	1.2	05/21/10	LIQUIDS ONLY	6HA1 / Y1.5 / 150	029
CQ5513	22.50	TH	0.9	0.9	0.9	06/26/10	LIQUIDS ONLY	1A1 / Y1.2 / 200	127
CQ5514	22.50	TH	1.2	0.9	1.2	06/06/10	LIQUIDS ONLY	1A1 / X1.6 / 300	003
CQ5515	22.50	TH	1.2	1.2	1.2	04/07/11	LIQUIDS ONLY	1A1 / X1.8 / 300	016
CQ5516	22.50	TH	1.5	1.5	1.5	01/14/11	LIQUIDS ONLY	1A1 / X1.8 / 300	021
CQ5519	22.50	OH	1.0	1.0	1.0	01/13/11	1A2 / X430 / S	1A2 / Y1.2 / 100	977
CQ5529	22.50	OH	1.5	1.5	1.5	12/15/10	1A2 / X430 / S	NONE	912
CQ5540	22.50	OH	1.5	1.5	1.5	03/19/11	1A2 / X430 / S	1A2 / Y1.2 / 150	919
CQ11001	30.00	OH	1.5	1.5	1.5	07/10/10	1A2 / Y440 / S	SOLIDS ONLY	064

HM0501	14.00	OH	0.9	0.9	0.9	11/25/10	1A2 / X60 / S	1A2 / Y1.8 / 150	059
HM0502Q	14.00	OH	1.2	0.9	0.9	11/20/10	1A2 / X60 / S	1A2 / Y1.5 / 150	133
HM0802	14.00	OH	0.9	0.9	0.9	08/28/10	1A2 / X96 / S	1A2 / Y1.8 / 150	048

SKOLNIK INDUSTRIES, INC.
UN DRUM TESTING STATUS
FQ 105

KEY:
TIGHTHEADS
OPEN HEAD BOLT RING
OPEN HEAD LEVER LOCK

PRODUCT	DRUM ID	DRUM TYPE	THICKNESS			UN TESTING			REPORT #
			COVER (mm)	BODY (mm)	BOTTOM (mm)	TEST EXPIRATION DATE mm/dd/yy	SOLIDS RATING	LIQUIDS RATING	
HM0802Q	14.00	OH	1.2	0.9	0.9	09/24/10	1A2 / X100 / S	1A2 / Y1.5 / 150	134
HM1000Q	14.00	OH	0.8	0.8	0.8	07/16/10	1A2 / X80 / S	SOLIDS ONLY	135
HM1002	14.00	OH	0.9	0.9	0.9	08/28/10	1A2 / X120 / S	1A2 / Y1.8 / 150	048
HM1002Q	14.00	OH	1.2	0.9	0.9	09/24/10	1A2 / X120 / S	1A2 / Y1.5 / 150	134
HM1502	14.00	OH	0.9	0.9	0.9	04/23/11	1A2 / X193 / S	1A2 / Y1.5 / 150	030
HM1602	14.00	OH	0.9	0.9	0.9	04/23/11	1A2 / X200 / S	1A2 / Y1.5 / 150	030
HM1602Q	14.00	OH	1.2	0.9	0.9	04/29/11	1A2 / Y200 / S	1A2 / Y1.5 / 150	138
HM2001	18.25	OH	1.2	1.2	1.2	04/21/11	1A2 / X220 / S	1A2 / Y1.5 / 150	034
HM2001Q	18.25	OH	1.2	1.2	1.2	03/18/11	1A2 / X220 / S	1A2 / Y1.5 / 150	067
HM2003	18.25	OH	0.9	0.9	0.9	03/25/11	1A2 / X175 / S	1A2 / Y1.2 / 100	170
HM3001	18.25	OH	1.5	1.2	1.2	04/16/11	1A2 / X235 / S	1A2 / Y1.5 / 150	005
HM3001Q	18.25	OH	1.5	1.2	1.2	04/16/11	1A2/X235/S	1A2/Y1.5/150	165*
HM3002	18.25	OH	0.9	0.9	0.9	06/05/10	1A2/X200/S	1A2/Y1.2/100	142
HM3004	18.25	OH	1.5	1.5	1.5	02/05/11	1A2 / X235 / S	1A2 / Y1.5 / 200	007
HM5501	22.50	OH	1.5	1.5	1.5	11/06/10	1A2 / X430 / S	1A2 / Y1.5 / 175	011
HM5501Q	22.50	OH	1.5	1.5	1.5	11/06/10	1A2 / X430 / S	1A2 / Y1.4 / 175	164*
HM5502	22.50	OH	1.5	1.2	1.2	10/30/10	1A2 / X400 / S	1A2 / Y1.5 / 150	040
HM5502Q	22.50	OH	1.5	1.2	1.2	11/03/10	1A2 / X400 / S	1A2 / Y1.5 / 150	141
HM5504	22.50	OH	1.2	0.9	0.9	11/03/10	1A2 / Y425 / S	1A2 / Y1.2 / 100	014
HM5506	22.50	OH	1.2	1.2	1.2	10/29/10	1A2 / X435 / S	1A2 / Y1.5 / 150	119
HM8501	26.00	OH	1.5	1.5	1.5	06/18/10	1A2 / X440 / S	1A2T / Y320 / S	001
HM8501Q	26.00	OH	1.5	1.5	1.5	07/06/10	1A2 / X440 / S	1A2T / Y320 / S	114
HM8518	26.00	OH	1.2	1.2	1.2	06/12/10	1A2 / X440 / S	SOLIDS ONLY	132
HM8518Q	26.00	OH	1.2	1.2	1.2	06/26/10	1A2 / X440 / S	1A2T / Y320 / S	153
HM8519	26.00	OH	1.0	1.0	1.0	04/23/11	1A2 / X440 / S	SOLIDS ONLY	113
HM8519Q	26.00	OH	1.0	1.0	1.0	04/23/11	1A2 / X440 / S	SOLIDS ONLY	163*
HM8520	26.00	OH	1.2	0.9	0.9	07/16/10	1A2 / Y440 / S	SOLIDS ONLY	036
HM8520Q	26.00	OH	1.2	0.9	0.9	07/16/10	1A2 / Y440 / S	SOLIDS ONLY	115
HM9601	26.00	OH	1.5	1.5	1.5	06/19/10	1A2 / X440 / S	SOLIDS ONLY	004
HM9601Q	26.00	OH	1.5	1.5	1.5	07/02/10	1A2 / X440 / S	SOLIDS ONLY	006

SKOLNIK INDUSTRIES, INC.
UN DRUM TESTING STATUS
 FQ 105

KEY:
 TIGHTHEADS
 OPEN HEAD BOLT RING
 OPEN HEAD LEVER LOCK

PRODUCT	DRUM ID	DRUM TYPE	THICKNESS			UN TESTING			REPORT #
			COVER (mm)	BODY (mm)	BOTTOM (mm)	TEST EXPIRATION DATE mm/dd/yy	SOLIDS RATING	LIQUIDS RATING	
HM9620	26.00	OH	1.2	0.9	0.9	07/16/10	1A2 / Y440 / S	SOLIDS ONLY	161
HM11001	30.00	OH	1.5	1.5	1.5	10/14/10	1A2 / Y409 / S	SOLIDS ONLY	022
HM11301	30.00	OH	1.5	1.5	1.5	07/24/10	1A2 / Y409 / S	1A2 / Y1.2 / 100	908
MS2014	15.38	TH	1.2	1.2	1.2	08/25/10	LIQUIDS ONLY	1A1 / X1.2 / 300	971
PH2001	18.25	OH	1.5	1.5	1.5	11/20/10	1A2 / X195 / S	1A2 / Y1.5 / 200	031
PH3001	18.25	OH	1.5	1.5	1.5	02/05/11	1A2 / X235 / S	1A2 / Y1.5 / 200	007
PH5501	22.50	OH	1.5	1.5	1.5	11/06/10	1A2 / X430 / S	1A2 / Y1.5 / 175	011
PH8501	26.00	OH	1.5	1.5	1.5	06/18/10	1A2 / X440 / S	1A2T / Y320 / S	001
PH8501Q	26.00	OH	1.5	1.5	1.5	07/06/10	1A2 / X440 / S	1A2T / Y320 / S	114
PH9601	26.00	OH	1.5	1.5	1.5	06/19/10	1A2 / X440 / S	SOLIDS ONLY	004
ST0503	14.00	TH	0.9	0.9	0.9	06/19/10	LIQUIDS ONLY	1A1 / X1.6 / 250	057
ST0504	14.00	OH	0.9	0.9	0.9	04/09/11	1A2 / X60 / S	1A2 / Y1.5 / 150	058
ST0803	14.00	TH	0.9	0.9	0.9	09/25/10	LIQUIDS ONLY	1A1 / X1.4 / 250	054
ST0804	14.00	OH	0.9	0.9	0.9	09/25/10	1A2 / X96 / S	1A2 / Y1.8 / 150	051
ST1003	14.00	TH	0.9	0.9	0.9	09/25/10	LIQUIDS ONLY	1A1 / X1.4 / 250	054
ST1004	14.00	OH	0.9	0.9	0.9	09/25/10	1A2 / X120 / S	1A2 / Y1.8 / 150	051
ST1603	14.00	TH	0.9	0.9	0.9	02/05/11	LIQUIDS ONLY	1A1 / X1.2 / 250	056
ST1604	14.00	OH	0.9	0.9	0.9	03/05/11	1A2 / X200 / S	1A2 / Y1.5 / 150	060
ST2003	18.25	TH	1.2	1.2	1.2	01/29/11	LIQUIDS ONLY	1A1 / X1.2 / 300	033
ST2004	18.25	OH	1.5	1.2	1.2	05/08/10	1A2 / X160 / S	1A2 / Y1.5 / 150	032
ST3003	18.25	TH	1.2	1.2	1.2	02/09/11	LIQUIDS ONLY	1A1 / X1.2 / 300	017
ST3004	18.25	OH	1.5	1.2	1.2	11/20/10	1A2 / X225 / S	1A2 / Y1.5 / 150	025
ST5501	22.50	OH	1.5	1.5	1.5	03/04/11	1A2 / X430 / S	1A2 / Y1.5 / 200	023
ST5502	22.50	OH	1.5	1.2	1.2	02/04/11	1A2 / X440 / S	1A2 / Y1.5 / 150	053
ST5503	22.50	TH	1.2	1.2	1.2	11/06/10	LIQUIDS ONLY	1A1 / X1.8 / 300	018
ST5504	22.50	TH	1.5	1.5	1.5	07/16/10	LIQUIDS ONLY	1A1 / X1.8 / 550	041
ST8501	26.00	OH	1.5	1.5	1.5	02/26/11	1A2 / X440 / S	SOLIDS ONLY	043